

Contents

Contents	iii
List of Figures	x
List of Tables	xi
1 Executive Summary	1
1.1 Introduction	1
1.2 Atmospheric Submillimeter Observations from Space	4
1.3 Objectives of the JEM/SMILES Mission	5
1.3.1 Demonstration of New Technology for Submillimeter-wave Limb-emission Sounder	5
1.3.2 Demonstration of High-quality Data for Atmospheric Trace Gases	5
1.3.3 Delivery of Useful Database for Atmospheric Researches	5
1.4 Overview of the JEM/SMILES Mission	6
1.4.1 The ISS, JEM, and Measurement Coverage of SMILES	6
1.4.2 Objective Species and Measurement Frequency	9
1.4.3 SMILES Payload	10
1.4.4 Data Processing and Distribution	12
1.4.5 Calibration and Validation	12
1.4.6 Data Retrieval Method	14
1.5 Development Schedule and Operation Plan	14
1.6 Mission Organization	15
2 Scientific Objectives	18
2.1 Summary	18
2.2 Background	18
2.3 Radical Species in the Stratosphere	22
2.3.1 Introduction	22
2.3.2 Chlorine and Bromine Chemistry	23
2.3.3 HO _x Chemistry	24
2.3.4 Targets	26
2.4 Observation of Ozone Isotopes	26
2.4.1 Introduction	26
2.4.2 Atmospheric Observations and Laboratory and Theoretical Studies	27
2.4.3 Targets	28
3 Instrumental Capabilities	31
3.1 Introduction	31
3.1.1 ISS and JEM	31
3.1.1.1 Overall Structure	31
3.1.1.2 Orbit and Attitude	31
3.1.1.3 ISS Operational Modes	31
3.1.1.4 Data Link between JEM/SMILES and ground facility	33
3.1.2 SMILES Payload	33
3.1.2.1 Payload Configuration	33
3.1.2.2 Dimension, Mass, Power, and Data Rate	34
3.1.2.3 Launching and Installation to JEM	36
3.1.3 Mission Instruments	36

3.1.3.1	Submillimeter Antenna (ANT)	36
3.1.3.2	Submillimeter Receiver (SRX)	36
3.1.3.3	IF Amplification Section (IFA)	37
3.1.3.4	Radio Spectrometer (AOS)	38
3.1.3.5	Star Tracker (STT)	38
3.1.3.6	Data Processing and Control Section (DPC)	39
3.2	Field of View (FOV)	39
3.2.1	Altitude Scanning of the Antenna	39
3.2.1.1	Scanning Profile	39
3.2.1.2	Range of Tangent Point Altitude	39
3.2.1.3	Spatial Sampling Rate and Altitude Resolution	40
3.2.1.4	Reference-sky Calibration	41
3.2.1.5	Continuity of Observations	41
3.2.1.6	Effects of Atmospheric Refraction	42
3.2.2	Global Coverage	44
3.2.2.1	Global Coverage of Atmospheric Limb Scanning	44
3.2.2.2	Horizontal Resolution	46
3.2.2.3	Effects of ISS Attitude and Altitude on Global Coverage	46
3.2.3	Interference with FOV	48
3.2.3.1	Interference by the Sun	48
3.2.3.2	Interference by the Solar Paddle	48
3.2.4	Antenna Response Pattern	48
3.2.4.1	Response Pattern Model	52
3.2.4.2	Effective Response Pattern for Atmospheric Limb Scanning	53
3.2.4.3	Beam Efficiency	54
3.2.5	ISS Orbit and Attitude Variations	55
3.2.5.1	Orbit	55
3.2.5.2	Attitude Control	56
3.2.6	Tangent Height Calibration	57
3.2.6.1	Calibration Scheme	57
3.2.6.2	Calibration Accuracy	59
3.3	Spectral Regions and Sensitivity	60
3.3.1	Observation Frequency Bands	60
3.3.2	Frequency Down-conversion	62
3.3.2.1	Intermediate Frequency System	62
3.3.2.2	Sideband Separation	62
3.3.3	Acousto-optic Spectrometer	68
3.3.3.1	Frequency Characteristics	68
3.3.3.2	Frequency Calibration	69
3.3.3.3	Noise Dynamic Range	69
3.3.3.4	Differential Non-Linearity	71
3.3.4	Sensitivity	73
3.3.4.1	Radiometric Noise	73
3.3.4.2	Gain Stability	74
3.3.4.3	Standing Waves	74
3.3.4.4	Differential Non-linearity of A/D Converter	76
3.3.4.5	Electromagnetic Interference	76
3.3.4.6	Overall Sensitivity	78
3.3.5	Brightness Temperature Calibration	78
3.3.5.1	Calibration Scheme	78

3.3.5.2	Calibration Accuracy	81
3.4	Conclusion	83
4	Retrieval– Principle and Method	86
4.1	Retrieval Algorithm	86
4.1.1	Principle of Limb Sounding Instruments	86
4.1.2	Retrieval Method and Basic Error Estimation	87
4.2	Simulation of Observation Spectra	88
4.2.1	ARTS Forward Model	88
4.2.1.1	Atmospheric Part	89
4.2.1.2	Sensor Part	89
4.2.1.3	Weighting Function	90
4.2.2	SMOCO Forward Model	90
4.2.2.1	Atmospheric Part	90
4.2.2.2	Sensor Part	91
4.2.2.3	Weighting Function	92
4.2.3	Forward Model Intercomparison	92
4.2.4	Observational Spectra Simulated by SMOCO	95
4.3	Molecular Retrieval	99
4.3.1	Standard Products	100
4.3.2	Research Products	100
4.3.3	Ozone Isotopes	103
4.3.4	Mesospheric Products	104
4.4	Temperature and Pointing Retrieval	105
4.4.1	Temperature Retrieval	105
4.4.1.1	Information Content	105
4.4.1.2	With Hydrostatic Equilibrium	106
4.4.1.3	Without Hydrostatic Equilibrium	107
4.4.2	Pointing Offset Retrieval	114
4.4.2.1	Information Content	114
4.4.2.2	With Hydrostatic Equilibrium	116
4.4.2.3	Without Hydrostatic Equilibrium	116
4.5	Spectroscopic Data for SMILES	117
4.5.1	Spectroscopic Data Required for the JEM/SMILES Experiment	117
4.5.2	Laboratory Submillimeter-wave Spectrometer System	118
4.5.3	Available Molecular Parameters up to Present	119
4.5.4	Plans for Further Improvement of Data	120
5	Ground Data System	123
5.1	Objectives of JEM/SMILES Ground Data System	123
5.2	JEM Operation System	123
5.2.1	Operation Planning	124
5.2.2	Commanding	125
5.2.3	House Keeping Telemetry Data Checking	125
5.3	Functions and Data Flow between ISS and SMILES ground data system	126
5.3.1	JEM/SMILES to Receiving Stations	126
5.3.2	Receiving Stations to JEM Operation System at NASDA/TKSC	127
5.3.3	JEM Operation Center to SMILES Ground Data System	127
5.4	Functions of SMILES Ground Data System	128
5.5	Consideration on Computation in the JEM/SMILES L2 Data Processing	129

6	Validation Plan	132
6.1	Introduction	132
6.2	The Basic Concepts of Validation for JEM/SMILES Data Products	132
6.3	Correlative Measurement	132
6.3.1	The Needs of Correlative Measurements	132
6.3.2	Plan of Correlative Measurements	133
6.3.2.1	The Use of Existing Data	133
6.3.2.2	Field Campaign	134
6.3.3	Activities in JEM/SMILES Team for Validation	135
6.3.3.1	Development of a Balloon Borne Submillimeter Spectrometer	135
6.3.3.2	Laboratory Measurement of Spectroscopic Parameters	135
6.3.3.3	Use of Observation Sites in Japan	135
6.4	Summary	136
	Appendix: Estimation of Retrieval Errors for SMILES Major Species	137
A.1	Radical Observation	137
A.2	Isotope Observations	148
A.3	Mesospheric Observation	152
	List of Acronyms	156

List of Figures

1.1	Schematic of the north to south variation in ozone depletion from 1979 to 1997.	1
1.2	Prediction of combined abundance of stratospheric chlorine and bromine.	2
1.3	The method of limb-emission sounding from the ISS.	3
1.4	Altitude coverage of the JEM/SMILES data estimated from preliminary result of simulation studies.	6
1.5	Artistic view of the International Space Station (ISS).	7
1.6	Japanese Experiment Module (JEM) and Exposed Facility (EF).	7
1.7	World map of orbit and measurement positions of JEM/SMILES.	8
1.8	Arrangement of IF bands.	10
1.9	JEM/SMILES data transmission, processing and distribution.	13
1.10	Schedule of JEM/SMILES.	15
2.1	Estimate of the mean trend using all four measurement systems at northern mid-latitudes.	19
2.2	Time series of 20- 22 km layer averaged water vapor mixing ratio over Boulder.	20
2.3	Observed and calculated total ozone anomalies from 1979 to 1997 at 45°N.	20
2.4	Dynamical aspects of stratosphere-troposphere exchange.	21
2.5	UARS MLS measurements of ClO and O ₃ for February 20, 1996 for the northern hemisphere.	22
2.6	Ozone depletion reaction.	23
2.7	Profile of BrO mixing ratios and ClO mixing ratios.	24
2.8	Gas phase reaction of HO _x in the stratosphere (Based on <i>Brasseur</i> [2000]).	25
2.9	Comparison of published results of measurements of heavy ozone enrichment.	28
3.1	Space Station reference coordinate system.	32
3.2	Configuration of Japanese Experiment Module (JEM).	32
3.3	Block diagram of JEM/SMILES payload.	35
3.4	External view of the SMILES payload.	35
3.5	Antenna scanning pattern of SMILES with the associated operation of a switching mirror for radiometric calibration.	40
3.6	Effects of atmospheric refraction on limb-sounding line-of-sight paths.	43
3.7	Antenna scanning step interval and vertical half-power beamwidth (HPBW) at tangent point for exponential model atmosphere.	43
3.8	Horizontal half-power beamwidth (HPBW) at tangent point for exponential model atmosphere.	44
3.9	The SMILES observation tangent-point coverage for an ISS one-day orbit.	45
3.10	The SMILES observation tangent-points coverage viewed from the north.	45
3.11	Trajectory of tangent points in a vertical plane for single limb scanning.	46
3.12	The horizontal resolution of SMILES observation.	47
3.13	The local time of the SMILES measurements and solar/solar-paddle interference with the SMILES beam.	49
3.14	Top view of the ISS.	50
3.15	The probability of the interference.	50
3.16	Calculated near-axis antenna response pattern.	51
3.17	Approximate response pattern.	52
3.18	Effective antenna response pattern.	54
3.19	Beam efficiency.	55
3.20	Geometrical definition of tangent-point altitude	58
3.21	Flow chart of STT data analysis	59

3.22	Atmospheric emission profiles expected for Band-A.	61
3.23	Atmospheric emission profiles expected for Band-B.	61
3.24	Atmospheric emission profiles expected for Band-C.	62
3.25	Frequency conversion in SMILES.	63
3.26	Schematic configuration of SSB filtering and local injection.	64
3.27	The function of the SSB filter in detail.	64
3.28	Coupling coefficient K_{ij} for signal transmission and image rejection of the SSB filter designed for SMILES.	65
3.29	The effect of the image contributions in Band-A.	66
3.30	The effect of the image contributions in Band-B.	67
3.31	The effect of the image contributions in Band-C.	67
3.32	Spectral line-width versus atmospheric height with respect to two important lines of the SMILES mission.	68
3.33	Frequency response function of the SMILES/AOS. The typical resolution bandwidth is 1.35 MHz.	69
3.34	Residuals from the frequency fit with comb generator. 1 Ch. corresponds to approximately 0.8 MHz.	70
3.35	RF noise, read-out noise and the variance ratio of them	71
3.36	Simulated effects of the differential non-linearity on the spectrum for 1 shot, and for 2, 3, and 60 accumulations.	72
3.37	Dependence of the DNL effect on the difference of brightness temperature between the limb atmosphere and the reference sky.	72
3.38	Estimated amplitude of standing waves as a function of atmospheric brightness temperature.	75
3.39	ISS environmental field.	76
3.40	Shield performance.	77
3.41	Overall Sensitivity.	79
3.42	Calibration accuracy of the brightness temperatur.	82
4.1	Illustration of limb sounding geometry.	86
4.2	Schematic display of the geometry for remote sensing of the atmosphere.	87
4.3	Comparison between ARTS and SMOCO calculations of the absorption spectra in the frequency range around the H ₂ O line at 22.23 GHz for different atmospheric levels.	94
4.4	Comparison between ARTS and SMOCO calculations of the absorption spectra in the frequency range around the O ₃ line at 625.37 GHz for different atmospheric levels.	94
4.5	Comparison between ARTS and SMOCO calculations of the absorption spectra in the frequency range around the HCl line at 625.9 GHz for different atmospheric levels.	95
4.6	Comparison between ARTS and SMOCO calculations of the absorption spectra in the frequency range around the ClO line at 649.45 GHz for different atmospheric levels.	96
4.7	Comparison between ARTS and SMOCO calculations of brightness temperature spectra seen by a limb sounding instrument.	96
4.8	SMILES spectra for a tangent height of 40 km simulated with the 45°N model atmosphere.	98
4.9	Comparison of two spectra, one expected with $T_{sys} = 500$ K and the other with 3000K.	99

4.10	The <i>a priori</i> molecular height profiles used in the retrieval of the SMILES standard product species. The abscissa is the volume mixing ratio (VMR) of each species.	101
4.11	The ratio of the retrieval error to the retrieved height profile for the SMILES standard product species.	101
4.12	The <i>a priori</i> molecular height profiles used in the retrieval of the SMILES research product species. The abscissa is the volume mixing ratio (VMR) of each species.	102
4.13	The ratio of the total retrieval error to the retrieved height profile for the SMILES research product species.	102
4.14	The <i>a priori</i> molecular height profiles used in the retrieval of the SMILES research product species. The abscissa is the volume mixing ratio (VMR) of each species.	102
4.15	The ratio of the total retrieval error to the retrieved height profile for the SMILES research product species.	102
4.16	The <i>a priori</i> molecular height profiles used in the retrieval of the SMILES ozone isotopes. The abscissa is the volume mixing ratio (VMR) of each species.	103
4.17	The ratio of the retrieval error to the retrieved height profile for the SMILES ozone isotopes.	103
4.18	The <i>a priori</i> molecular height profiles used in the retrieval of the SMILES mesospheric species. The abscissa is the volume mixing ratio (VMR) of each species.	104
4.19	The ratio of the total retrieval error to the retrieved height profile for the SMILES mesospheric species.	104
4.20	“Information content” on the atmospheric temperature in Band-A.	106
4.21	Temperature retrieval in Band A with hydrostatic equilibrium.	108
4.22	Temperature retrieval in Band B with hydrostatic equilibrium.	109
4.23	Temperature retrieval in Band C with hydrostatic equilibrium.	110
4.24	Temperature retrieval in Band A without hydrostatic equilibrium.	111
4.25	Temperature retrieval in Band B without hydrostatic equilibrium.	112
4.26	Temperature retrieval in Band C without hydrostatic equilibrium.	113
4.27	“Information content” of the measurement on the pointing offset.	115
4.28	A schematic diagram of a double modulation submillimeter-wave system at Ibaraki University.	118
4.29	A least square fitting of the BrO spectrum to derive the pressure broadening parameter	119
5.1	JEM Operation System and its relation to JEM Experiment users.	124
5.2	Concept of operation planning for JEM.	125
5.3	SMILES data flow.	126
5.4	Data handshaking between JEM Operation System and SMILES Ground System.	127
A.1	Retrieval simulation results for single-scan data for normal O ₃ in Band-A.	138
A.2	Retrieval simulation results for single-scan data for H ³⁷ Cl in Band-A.	139
A.3	Retrieval simulation results for 30-scan averaged data for HNO ₃ in Band-A.	140
A.4	Retrieval simulation results for 30-scan averaged data for HOCl in Band-A.	141
A.5	Retrieval simulation results for 30-scan averaged data for H ₂ O ₂ in Band-A.	142
A.6	Retrieval simulation results for 30-scan averaged data for CH ₃ CN in Band-A.	143
A.7	Retrieval simulation results for single-scan data for H ³⁵ Cl in Band-B.	144
A.8	Retrieval simulation results for single-scan data for ClO in Band-C.	145

A.9	Retrieval simulation results for 30-scan averaged data for HO ₂ in Band-C.	146
A.10	Retrieval simulation results for 30-scan averaged data for BrO in Band-C.	147
A.11	Retrieval simulation results for 30-scan averaged data for asymmetric-17 O ₃ in Band-C.	149
A.12	Retrieval simulation results for 30-scan averaged data for asymmetric-18 O ₃ in Band-C.	150
A.13	Retrieval simulation results for 30-scan averaged data for symmetric-17 O ₃ in Band-C.	151
A.14	Retrieval simulation results for 30-scan averaged data in BAND-A for the standard profiles of normal O ₃ in the mesosphere.	153
A.15	Retrieval simulation results for 30-scan averaged data in BAND-B for the standard profiles of H ³⁵ Cl in the mesosphere.	154
A.16	Retrieval simulation results for 30-scan averaged data in BAND-C for the standard profiles of HO ₂ in the mesosphere.	155
	clearpage	

List of Tables

1.1	Objective trace gases and their observation frequencies considered for JEM/SMILES.	9
1.2	Major design parameters of the SMILES payload.	11
1.3	JEM/SMILES Project Key Personnel.	16
3.1	Configuration of SMILES Payload.	34
3.2	Requirements for SMILES-ANT	37
3.3	Requirements for SMILES-SRX	37
3.4	Requirements for SMILES-IFA	38
3.5	Requirements for SMILES-AOS	38
3.6	Requirements for SMILES-STT	39
3.7	Expected range of tangent point altitudes for several ISS conditions.	41
3.8	Highest latitudes sampled by SMILES limb scanning.	47
3.9	Antenna Specification.	51
3.10	Model coefficients.	53
3.11	Characteristics of the ISS Orbit	56
3.12	ISS Orbital Elements	56
3.13	Characteristics of the ISS Attitude (TEA:Torque Equilibrium Attitude)	57
3.14	Residual Errors in the tangent height after calibration with the STT data	60
3.15	Model parameters m, α, f_0 of power coupling coefficients K_{ij} for least-squares-fit model of SSB filter and simplified model for SMILES optics	66
3.16	Description of SMILES Mission Instruments	83
3.17	Summary of SMILES Instrumental Capabilities	84
4.1	Selected molecular species transitions for the absorption coefficients inter-comparison.	93
4.2	Molecular transition frequencies of JEM/SMILES species.	97
4.3	Retrieval precision, measurement error and measurement response for the retrieved pointing offset.	116
4.4	Retrieval precision, measurement error and measurement response for the retrieved pointing offset.	117
4.5	Pressure broadening parameters	120
5.1	SMILES data sets	124

5.2	Estimated performance requirements (GFlops and memory size) for SMILES Data System compared to those of EOS/MLS program.	130
-----	---	-----